


r	8 7 6 5 4	3	
D			
С			
B			
	APPROVED BY: DATE:		
A	 NOTES: ALL DIMENSIONS ARE APPROXIMATE AND IN INCHES [mm]. ALVARADO RECOMMENDS 28" WIDTH LANES BE USED FOR GENERAL PURPOSE ENTRY/EXIT CONTROL. ALVARADO RECOMMENDS 36" WIDTH LANES BE RESERVED FOR USE BY PATRONS WITH SPECIAL REQUIREMENTS. MULTIPLE BARRIER SIZES SHOWN FOR ILLUSTRATION ONLY. CUSTOMER TO CHOOSE BARRIER HEIGHT PER ORDER. 	PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ALVARADO MANUFACTURING INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ALVARADO MANUFACTURING INC. IS PROHIBITED.	CHECKED ENGR
	8 7 6 5 4	3	








	С
	-
	В
Alvarado Mfg. Co. Inc. 12660 Colony Street, Chino, CA 91710 909.591.8431 - 909.628.1403 (Fax) www.alvaradomfg.com	
SU5000 36" LANE LAYOUT	A
MRP 12/30/2019 B PEF-1104 B RPL 12/30/2019 SCALE: 1:18 SHEET 3 OF 5 2 1	
2	

D

I




	С
-	€
	В
Alvarado Mfg. Co. Inc. 12660 Colony Street, Chino, CA 91710 909.591.8431 - 909.628.1403 (Fax)	
SU5000 36" LANE LAYOUT	A
NAME DATE SIZE DWG. NO. REV MRP 12/30/2019 B PEF-1104 B RPL 12/30/2019 SCALE: 1:18 SHEET 4 OF 5 2 1	

D

I

8	7	I	6	5	ţ	4	1	3



D

С

В

А

Symbology	Description	Conduit Size
	Primary Power**	3/4" (1/2")
	Access Control / Ethernet	3/4"
	Access Control	3/4"
$\bullet \bullet \bullet$	Crossover Cable	1.5"

**If using the External DC Power Supply option, use this conduit to route 24VDC.

 THIRD ANGLE PROJECTION
 Image: Constant of the solution of the so

8

7

6

5

4

	₹-
	В
Alvarado Mfg. Co. Inc. 12660 Colony Street, Chino, CA 91710 909.591.8431 - 909.628.1403 (Fax) www.alvaradomfg.com	
SU5000 36" LANE LAYOUT NAME DATE SIZE DWG. NO. REV MRP 12/30/2019 B PEF-1104 B	A
RPL 12/30/2019 SCALE: 1:16 SHEET 5 OF 5 2 1	

1

I

D

С