

D

C

B


A

D


C

B

A




ISO VIEW




ISO VIEW


DETAIL C: POST MOUNT OPTION



FRONT VIEW




SIDE VIEW




TOP VIEW


DETAIL D: TOP POST MOUNT



FRONT VIEW




SIDE VIEW




TOP VIEW

SLAB MOUNT OPTION (SLAB SIZE VARIES)  
FOR THE SLAB MOUNTED TRUCK ASSEMBLIES,  
USE 1/2" DIAMETER HILTI HIT-HY 200 + HAS W/ 6" MIN. EMBED OR EQUIVALENT,  
IN 3000 PSI CONCRETE REINFORCED PER ACI 301



SIDE VIEW



FRONT VIEW

**NOTICE TO PERSONS RECEIVING THIS DRAWING AND/OR TECHNICAL INFORMATION**  
Ameristar Perimeter Security USA Inc claims proprietary rights to the material disclosed hereon. This drawing and/or technical information is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown or referred to hereon without direct written permission from Ameristar Perimeter Security USA Inc to the user. This drawing and/or technical information is the property of Ameristar Perimeter Security USA Inc and is loaned for mutual assistance to be returned when its purpose has been served.

**UNLESS OTHERWISE SPECIFIED TOLERANCES**  
X.X ±.06  
X.XX ±.03  
X.XXX ±.02  
ANGLES ±0.5°  
FRACTIONS 1/8  
SURFACE FINISH 63

**ASSA ABLOY**

Ameristar Perimeter Security USA Inc  
Tulsa

DRAWING COMPLIES WITH  
ASME Y14.5M - 1994

INCH  
MM

THIRD ANGLE  
PROJECTION

MATERIAL  
SEE BOM

HEAT TREATMENT

SURFACE/FINISH

MASS

VOLUME

SURFACE AREA

**TT-II CNT INV 2R FLB 4" GAP  
ARCHITECTURAL DRAWING**

DATE CREATED  
11/4/2021

DRAWN BY  
nathan

DESIGNED BY  
nathan

DOCUMENT ID

SCALE  
1:28

SIZE  
B

DRAWING NUMBER (ALT ID)  
**TT-II CNT INV 2R FLB 4 IN GAP ARCH DRAWING**

D

C

B

A

D

C

B

A

Out to Out												
	6'-8'	8'-10'	10'-12'	12'-14'	14'-16'	16'-18'	18'-20'	20'-22'	22'-24'	24'-26'	26'-28'	28'-30'
7'H	126	154.5	187.75	216.25	249.5	268.5	316	344.5	358.75	401.5	420.5	458.5
8'H	126	154.5	187.75	216.25	249.5	268.5	316	344.5	358.75	401.5	430	458.5
9'H	126	154.5	187.75	216.25	249.5	268.5	306.5	335	358.75	406.25	430	458.5
10'H	126	154.5	187.75	216.25	244.75	287.5	306.5	358.75	358.75	406.25	430	487
Post Centers												
	6'-8'	8'-10'	10'-12'	12'-14'	14'-16'	16'-18'	18'-20'	20'-22'	22'-24'	24'-26'	26'-28'	28'-30'
7'H	12.25	12.75	22	26.5	35.75	30.75	54.25	58.75	49	67.75	62.75	76.75
8'H	12.25	12.75	22	26.5	35.75	30.75	54.25	58.75	49	67.75	72.25	76.75
9'H	12.25	12.75	22	26.5	35.75	30.75	44.75	49.25	49	72.5	72.25	76.75
10'H	12.25	12.75	22	26.5	31	49.75	44.75	73	49	72.5	72.25	105.25

NOTICE TO PERSONS RECEIVING THIS DRAWING AND/OR TECHNICAL INFORMATION

Ameristar Perimeter Security USA Inc claims proprietary rights to the material disclosed hereon. This drawing and/or technical information is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown or referred to hereon without direct written permission from Ameristar Perimeter Security USA Inc to the user. This drawing an /or technical information is the property of Ameristar Perimeter Security USA Inc and is loaned for mutual assistance to be returned when its purpose has been served.

UNLESS OTHERWISE SPECIFIED TOLERANCES


X.X ± .06

X.XX ± .03

X.XXX ± .02

ANGLES ± 0.5°

FRACTIONS ± 1/8

SURFACE FINISH 


DRAWING COMPLIES WITH

ASME Y14.5M - 1994

INCH

MM

THIRD ANGLE

PROJECTION 

MATERIAL

SEE BOM

HEAT TREATMENT

SURFACE/FINISH

MASS

VOLUME

SURFACE AREA

TT-II CNT INV 2R FLB 4" GAP ARCHITECTURAL DRAWING

DATE CREATED

11/4/2021

DRAWN BY

nathan

DESIGNED BY

nathan

DOCUMENT ID

DRAWING NUMBER (ALT ID)

TT-II CNT INV 2R FLB 4 IN GAP ARCH DRAWING

SCALE

1:96

SIZE

B

8

7

6

5

4

CONFIGURATION Default

LEGACY ID

SHEET 2 OF 2