



CONCRETE FOUNDATION DIMENSIONS TO BE DETERMINED BY OTHERS. SEASAFE RECOMMENDS MINIMUM 6" COVER BETWEEN ANC POST AND SOIL INTERFACE IN ALL DIRECTIONS.

10'-0" TALL ANC FENCE WITH ANC 1.0-1.75 MESH ELEVATION

THIS DETAIL NOT TO SCALE.
 FENCE DESIGNED FOR POSTS TO BE 6'-0" ± 1/4" ON CENTER ON LEVEL GROUND.
 FOUNDATIONS TO BE DESIGN AND INSTALLED BY OTHERS.
 FOR OTHER DESIGN CONSIDERATIONS, CONTACT SEASAFE.

CUSTOMER		ANC 10'-0" TALL ANC FENCE ELEVATION	
		ALABAMA METAL INDUSTRIES CORPORATION	
NO.	0	REVISIONS	
BY	S.A.P.	DATE	
DATE		ISSUED FOR APPROVAL	
SALES NO.: XXXXXXXX		JOB NO.: XXXX-XXXXXXX	
DRAWN BY: W. HARDENBERG		DATE: 2016-08-10	
SCALE: 1" = 1'-0"		DRAWING NO.: FE-10-1.0	
SHEET: 1 OF 1		CUSTOMER PO NO.: 0000000	