

Safety notice


The barrier must be inspected frequently to spot all wear, corrosion or crack being able to cause damage, especially if the barrier has an excessive duty service (frequent opening before the end of the closing cycle).

If the barrier is damaged or hit, it must be inspected by competent personnel to spot all damages or cracks.

The barrier and the arm must be cleaned of all ice accumulation or of snow to avoid the load increase.

No object (light, sign etc.) must be added to the barrier.

The barrier must be put out of service if cracks appear or if the safety of the people is compromised.



ARM LENGTH (L)	ARTICULATION HEIGHT (H)	
	6'6" 3/4 [2000mm]	5'10" 7/8 [1800mm] - 8'2" 7/16 [2500mm]
8'2" 7/16 [2500mm]	5'10" 7/8 [1800mm] - 8'2" 7/16 [2500mm]	
9'10" 1/8 [3000mm]	5'10" 7/8 [1800mm] - 8'2" 7/16 [2500mm]	
11'5" 13/16 [3500mm]	5'10" 7/8 [1800mm] - 8'2" 7/16 [2500mm]	
13'1" 1/2 [4000mm]	5'10" 7/8 [1800mm] - 7'10" 1/2 [2400mm]	

THE LIMIT OF USES MUST BE APPLIED WHEN OPTIONS ARE INSTALLED ON THE ARM

REV	DATE	MODIFICATIONS/CHANGES	PAR/BY	MATÉRIAU/MATERIAL	TRAITEMENT/TREATMENT	FINI/FINISH	NB./App.	POIDS/WEIGHT	SURFACE	LES DIMENSIONS SONT EN POUÇES / DIMENSIONS ARE IN INCHES	EBARBER & ENLEVER LES ARÊTES VIVES. DIM SELON ASME Y14.5 1994. NE PAS MESURER SUR LE DESSIN. BREAK ALL SHARP EDGES AND CORNERS. ALL DIM PER ASME Y14.5 1994. DO NOT SCALE DRAWING	ASIAUTOMATIC SYSTEMS IAR GROUP
										TOLERANCES .XXX ± .005 .XX ± .010 .X ± .015 FRAC. ± 1/32 ANGLES ± 1/2° SAUF SI INDICUÉS UNLESS OTHERWISE NOTED		FICHER / FILENAME NAM-PARKPLUS101-IN-01-EN.DWG
D	2018-03-15	NEW REPRESENTATION	FTH/SSA							TITRE PARKPLUS101		
C	2015-11-19	NEW REPRESENTATION	SSA							TITRE OVERALL DIMENSIONS AND SAFETY NOTICE		
										ECHELLE/SCALE NTS	FORMAT/SIZE B	DATE 2013/07/16
										DESSINÉ PAR DRAWN BY JPS	VÉRIFIÉ PAR CHECKED BY SSA	FEUILLE/SHEET 1
										NO. DE DESSIN/DWG. NO. NAM-PARKPLUS101-IN-01-EN	REV D	DE/OF 1

AUTOMATIC SYSTEMS RECOMMENDS THAT THE CONCRETE BASE FOR THE BARRIER BE FABRICATED ACCORDING TO DRAWING "NAM-BL10X-IN-01-EN". HOWEVER IT IS THE CUSTOMER'S RESPONSIBILITY TO ENSURE THAT THE INSTALLATION CONFORMS TO ALL LOCAL BUILDING CODES.